



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/010,238	12/07/2001	Miriam G. Blatt	03226.073001;P5521	5843

32615 7590 02/24/2005

OSHA & MAY L.L.P./SUN
1221 MCKINNEY, SUITE 2800
HOUSTON, TX 77010

EXAMINER

STEVENS, THOMAS H

ART UNIT	PAPER NUMBER
----------	--------------

2123

DATE MAILED: 02/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/010,238	Applicant(s) BLATT ET AL.	
	Examiner Thomas H. Stevens	Art Unit 2123	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 December 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 07 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-13 were examined.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

3. Claims 1-13 are rejected under 35 U.S.C. 102(a) as being anticipated by Bobba et al., "IC Power Distribution Challenges" (IEEE January 1999)). Bobba et al. teaches delivering time-varying current with reduced nominal supply voltage variation (abstract).

Claim 1. A method for analyzing a power modeling (pg. 643, right column, 2nd paragraph, lines 10-13) simulation, (pg. 647, section 4, lines 1-5) comprising: receiving a plurality of values of power data from a power modeling simulator; generating summary information relating to single cycle behavior of the power data wherein the power data and is associated with a specific cycle in the power modeling simulation (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph); and analyzing the power modeling simulation using the summary information (pg. 647, section 4, lines 1-5).

Art Unit: 2123

Claim 2. The method of claim 1, (pg. 643, right column, 2nd paragraph, lines 10-13; pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph) wherein generating summary information comprises calculating a value of a single-cycle derivative (pg. 646, left column, 3rd paragraph to right column first paragraph), wherein the single-cycle derivative is a derivative of two particular power data in a set of successive cycles.

Claim 3. The method of claim 2, (pg. 643, right column, 2nd paragraph, lines 10-13; pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph; pg. 646, left column, 3rd paragraph to right column first paragraph) wherein the single-cycle derivative is a peak single-cycle derivative (Inherent to any circuit analysis program: pg.647, section 4, 1st paragraph).

Claim 4. The method of claim 1, (pg. 643, right column, 2nd paragraph, lines 10-13; pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph; pg. 646, left column, 3rd paragraph to right column first paragraph) wherein generating summary information comprises: calculating absolute values of a peak value and a lowest value of the power data (Inherent to any circuit analysis program: pg.647, section 4, 1st paragraph).

Claim 5. A method of analyzing power modeling simulation, (pg.647, section 4, 1st paragraph) comprising: receiving a plurality of values of power data from a power modeling simulator; generating summary information relating to multiple cycle behavior of the power data (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th

paragraph) wherein the power data is associated with multiple cycles in the power model simulation; and analyzing the power modeling simulation using the summary information (pg.647, section 4, 1st paragraph with pg. 647, section 5).

Claim 6. The method of claim 5, (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph with section 5) wherein generating summary information comprises: calculating a multiple-cycle power average, wherein the multi-cycle power average is an average of power data over a plurality of cycles (Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraphs)..

Claim 7. The method of claim 6, (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph with section 5; Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraph) wherein a length of the plurality of cycles is fixed.

Claim 8. The method of claim 6, (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph with section 5; Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraph) wherein generating comprises: summary information further calculating a peak value of the multi-cycle power average (Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraphs).

Claim 9. The method of claim 5, (pg. 647, section 4, lines 1-5 with pg. 647, right column, 4th paragraph with section 5) wherein generating summary information comprises:

calculating an average value of power data across a plurality of cycles (Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraphs).

Claim 10. A method of data analysis for a power modeling simulation (pg. 647, section 4, 1st and 4th paragraphs with section 5 (same page)), comprising: receiving a plurality of values of power data from a power modeling simulator generating summary information relating to a multi-cycle derivative of the power data (pg. 647, section 4, paragraphs 4-6), wherein each power data is associated with at least one cycle in a simulation (pg. 647, section 4, paragraphs 4-6) and wherein the multi-cycle derivative is a derivative of at least two particular power data in non-successive cycles (Inherent to the complexity of circuits: pg. 647, section 4, paragraphs 4-6); and analyzing the power modeling simulation using the summary information (Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraph).

Claim 11. The method of claim 10, (pg. 647, section 4, 1st and 4th paragraphs with section 5 (same page); pg. 647, section 4, paragraphs 4-6) further comprising: calculating a value of the multi-cycle derivative (Inherent to any circuit analysis program: pg.647, section 4, 1st and 5th paragraphs).

Claim 12. The method of claim 11, (pg. 647, section 4, 1st and 4th paragraphs with section 5 (same page); pg. 647, section 4, paragraphs 4-6) further comprising: setting a threshold value as a reference value for determining the end of a current multi-cycle

Art Unit: 2123

derivative calculating a single-cycle derivative calculating a derivative of a start value and an end value of associated power data in the current multi-cycle derivative (pg. 646, left column, 3rd paragraph to right column first paragraph; pg. 647, section 4, 1st paragraph); calculating a ratio of the value of the single-cycle derivative over the value of a derivative of the start value and the end values of associated power data derivative when the direction of the current multi-cycle derivative changes (Inherent to Spice Software: pg. 647, section 4, 1st paragraph); and generating the value and its cycle of the multi-cycle derivative when the ratio becomes larger than the threshold value (Inherent to Spice Software: pg. 647, section 4, 1st paragraph), wherein the single-cycle derivative is a derivative of two particular power data in successive cycles.

Claim 13. The method of claim 11, (pg. 647, section 4, 1st and 4th paragraphs with section 5 (same page); pg. 647, section 4, paragraphs 4-6) farther comprising: setting a threshold value that is a reference value for determining the end of a current multi-cycle derivative (pg. 647, section 4, paragraphs 4-6); calculating a difference from a highest value (Inherent to Spice Software: pg. 647, section 4, 1st paragraph) to a current value (abstract) of the power data in the current multi-cycle derivative (pg. 647, section 4, paragraph 4; Inherent to Spice Software: pg. 647, section 4, 1st paragraph) and; calculating a difference from the highest value to a start value of the power data in the current multi-cycle derivative (pg. 647, section 4, paragraph 6); calculating a ratio of the difference from the highest value to the current value of the power data over the difference from the highest value to the start value of the power data (pg. 647, section 4,

paragraph 4) in the current multi-cycle derivative when the direction of the current multi-cycle derivative changes (Inherent to Spice Software: pg. 647, section 4, 1st paragraph); and generating the end-value and its end-cycle of the current multi-cycle derivative when the ratio becomes larger than the threshold value (pg. 647, section 4, paragraph 4; Inherent to Spice Software: pg. 647, section 4, 1st paragraph).


Correspondence Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Tom Stevens whose telephone number is 571-272-3715, Monday-Friday (8:00 am- 4:30 pm) or contact Supervisor Mr. Kevin Teska at (571) 272-3716. Fax number is 571-273-3715

Any inquires of general nature or relating to the status of this application should be directed to the Group receptionist whose phone number is (571) 272-1400

February 17, 2005

THS



KEVIN J. TESKA
SUPERVISORY
PATENT EXAMINER